



LAMIFLEX  
GROUP

# MultiWrapper – High-capacity stretch-wrapping for steel and aluminum coils







# MultiWrapper

## High-capacity coil wrapping with excellent uptime

**The MultiWrapper is an automated coil packaging solution designed for steel- and aluminium coil producers with high output and high requirements on consistent packaging quality. Each coil is wrapped tightly with stretch-wrap, through the eye, to prevent corrosion during transport and storage.**

### **Improved coil packaging capacity**

The MultiWrapper adds quick and efficient automated coil wrapping to your production line. Not only do the robots work fast on the wrapping itself, they are quick to reposition themselves at the start and end of each sequence. The film roll is automatically changed by the robots, improving overall wrapping cycle time.

With the twin-station MultiWrapper solution, a new coil can be loaded while another is still being wrapped and if needed, adding further packaging material to the coil.

The MultiWrapper can be equipped with extra, ancillary equipment for more efficient loading and handling, to improve packaging capacity even further.

### **Reliable coil wrapping with consistent quality**

The MultiWrapper provides reliable and consistent high-quality wrapping and packaging to keep your products safe from damage during both storage and transport. The result is fewer customer complaints due to transport damage.

### **Excellent uptime and low maintenance**

The MultiWrapper is designed as a low-maintenance solution that can run uninterrupted for long periods of time, with excellent overall uptime. To ensure good availability to replacement components and trained service personnel, we built the MultiWrapper using well proven robot technology with service and support available globally.

### **Built for the future**

The MultiWrapper solution is compatible with Industry 4.0 to enable smart, connected manufacturing with access to real-time production data. The concept is built to be enlarged with other functions in the future.

### **No capital investment needed with Lamifree**

Lamifree is the Lamiflex financing solution which enables a new coil packaging solution to be implemented in your factory without the need of a capital investment. Your monthly fee will be discounted based on your overall purchase of packaging material. Most large-scale manufacturing facilities qualifies for a free MultiWrapper.

Contact your Lamiflex representative for more information.



# MultiWrapper

Quick and safe wrapping to protect your coils



## Specifications (standard version):


- Wrapping time, standard size coil: approx. 4 min
- Max OD: 2200 mm
- Max width: 2300 mm (depending on handling method)
- Max weight: 27 tons
- Min inner diameter: 500 mm
- Film roll spec: OD 250 mm, flexible width
- Operating voltage: 3 x 400/480 V 63 A
- Air pressure: 6 bar (oil free)
- Air consumption: approx. 400 l/min
- Min. ambient operation temperature: 10°C (50°F)
- Coil handling: By overhead crane and/or forklift
- Patent pending

## Packaging materials for reliable protection

Lamistretch Armour is an extra strong stretchwrapping film, developed for demanding industrial use. It protects your coils from any sharp edges, scuffing or friction and is the optimal film to use with the MultiWrapper.

To protect the inner and outer edges of your coil, use Lamiedge PBP and Lamiedge POP before strapping.





## Sweden

Lamiflex AB  
Gasverksvägen 4-6  
611 35 Nyköping  
Phone: +46 (0)155-280260  
Fax: +46 (0)155-280270  
headoffice@lamiflex.se  
order@lamiflex.se

## Germany

Lamiflex GmbH  
Kappeler Straße 126  
D-40599 Düsseldorf  
Phone: +49 (0)211 92300-0  
Fax: +49 (0)211 92300-33  
info@lamiflex.de

## India

Lamiflex Packtech India Private Ltd.  
Level 13, Platinum Techno Park,  
Sector 30A Plot No. 17&18, Vashi,  
Navi Mumbai - 400 705  
Phone: +91 (0)22 6181 8433  
Fax: +91 (0)22 6121 4952  
Mobile: +91 (0)96 1987 5205  
india@lamiflex.com

## United States

Lamiflex Inc.  
1610 Woodstead Ct. Suite 440  
The Woodlands TX 77380  
Phone: +1-832-251-0200  
Fax: +1-832-251-0201  
lamiflexus@lamiflex.com

## Korea

Lamiflex Korea Ltd.  
(Daeyundong, Hyundai-officetel)  
#1101, 282, Suyeong-ro, Nam-gu,  
Busan, 48499  
Phone : +82 (0)51 623 6351  
Fax: +82 (0)51 623 6350  
Mobile: +82 (0)10 8824 5115  
korea@lamiflex.com

## South Africa

Lamiflex South Africa (PTY) Ltd.  
X60500, Houghton – Gauteng  
ZA-2041 Johannesburg  
Phone : +27 (0)71 332 0516  
southafrica@lamiflex.com

