




LAMIFLEX
GROUP

PushWrapper – A new stretchwrapping concept from the Lamiflex Group





PushWrapper

An easy start for plastic wrapping

The PushWrapper concept consists of a tailored plastic packaging material coupled with a new simple, but robust machine for wrapping steel or aluminum coils. Easily operated by one person, but can easily be scalable if more capacity is needed.

The PushWrapper is an entry level, scalable machine that works with a "hand over" technique, using arms that complement our range of more advanced machine solutions. The concept is unique (patent pending) and makes it very easy to start with plastic wrapping material, compared to alternative machines that need large investments, planning projects and infrastructure.

If more capacity is needed, it's easy to supplement with additional machines. Two people can easily run four machines.

A full plastic packaging concept with the PushWrapper will give a number of advantages for both the producer and end customer,

- reduce risk of corrosion
- improve productivity
- reduce labor cost
- improve safety and ergonomics
- improve corporate image

The PushWrapper concept is a perfect solution for,

- the service center
- as a back-up machine in a larger plant
- as an entry level installation



Lamifree - financing solution

By signing a contract for the packaging material (normally 3-year), you can get the PushWrapper machine at no cost.

Please contact your local Lamiflex representative for more information.


PushWrapper

A simple and robust machine for wrapping



Specifications (standard version):

- Max OD 2300 mm
- Max width 2300 mm (Depending on handling method)
- Max weight 25 tons
- Min inner diameter 480 mm
- Film roll spec: 250x200 mm
- Wrapping time: Standard size coil approx. 7-8 minutes.
- Compressed air 22 m³/h
- Requirements: Compressed air 6 bar and electricity 3 phase 16 A.
- Coil handling: By overhead crane and/or forklift



Sweden

Lamiflex AB
Gasverksvägen 4-6
611 35 Nyköping
Phone: +46 (0)155-280260
Fax: +46 (0)155-280270
headoffice@lamiflex.se
order@lamiflex.se

Germany

Lamiflex GmbH
Kappeler Straße 126
D-40599 Düsseldorf
Phone: +49 (0)211 92300-0
Fax: +49 (0)211 92300-33
info@lamiflex.de

India

Lamiflex Packtech India Private Ltd.
Level 13, Platinum Techno Park,
Sector 30A Plot No. 17&18, Vashi,
Navi Mumbai - 400 705
Phone: +91 (0)22 6181 8433
Fax: +91 (0)22 6121 4952
Mobile: +91 (0)96 1987 5205
india@lamiflex.com

United States

Lamiflex Inc.
1610 Woodstead Ct. Suite 440
The Woodlands TX 77380
Phone: +1-832-251-0200
Fax: +1-832-251-0201
lamiflexus@lamiflex.com

Korea

Lamiflex Korea Ltd.
(Daeyundong, Hyundai-officetel)
#1101, 282, Suyeong-ro, Nam-gu,
Busan, 48499 SOUTH KOREA
Phone : +82 (0)51 623 6351
Fax: +82 (0)51 623 6350
Mobile: +82 (0)10 8824 5115
korea@lamiflex.com

